

WEST Search History

DATE: Monday, April 09, 2007

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L18	L12 and l3	23
<input type="checkbox"/>	L17	L12 and l4	50
<input type="checkbox"/>	L16	L12 same l4	1
<input type="checkbox"/>	L15	L13 not l14	18
<input type="checkbox"/>	L14	L12 and l7	5
<input type="checkbox"/>	L13	L12 and l1	23
<input type="checkbox"/>	L12	lithium bis(oxalato)borate or lithium bisoxalatoborate or lithium bis oxalato borate or LiBOB	157
<input type="checkbox"/>	L11	L10 and l7	57
<input type="checkbox"/>	L10	l8 with (aluminum or Al)	1016
<input type="checkbox"/>	L9	L8 and l7	106
<input type="checkbox"/>	L8	current collector with (thick or thickness)	3110
<input type="checkbox"/>	L7	L6 and l5	191
<input type="checkbox"/>	L6	(case or container or enclosure or casing or housing) with (aluminum or Al)	297641
<input type="checkbox"/>	L5	L4 and l3	435
<input type="checkbox"/>	L4	(current collector) with (aluminum or Al)	4028
<input type="checkbox"/>	L3	L2 and l1	2150
<input type="checkbox"/>	L2	(lithium or Li) with (anode or negative electrode)	34034
<input type="checkbox"/>	L1	(manganese dioxide or MnO ₂ or Mn O ₂) with (cathode or positive electrode)	5123

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
(12 AND 3).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	23
(L12 AND L3).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	23

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L18

Search History

DATE: Monday, April 09, 2007
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L18</u>	L12 and l3	23	<u>L18</u>
<u>L17</u>	L12 and l4	50	<u>L17</u>
<u>L16</u>	L12 same l4	1	<u>L16</u>
<u>L15</u>	L13 not l14	18	<u>L15</u>
<u>L14</u>	L12 and l7	5	<u>L14</u>
<u>L13</u>	L12 and l1	23	<u>L13</u>
<u>L12</u>	lithium bis(oxalato)borate or lithium bisoxalatoborate or lithium bis oxalato borate or LiBOB	157	<u>L12</u>
<u>L11</u>	L10 and l7	57	<u>L11</u>
<u>L10</u>	l8 with (aluminum or Al)	1016	<u>L10</u>
<u>L9</u>	L8 and l7	106	<u>L9</u>
<u>L8</u>	current collector with (thick or thickness)	3110	<u>L8</u>

<u>L7</u>	L6 and l5	191	<u>L7</u>
<u>L6</u>	(case or container or enclosure or casing or housing) with (aluminum or Al)	297641	<u>L6</u>
<u>L5</u>	L4 and l3	435	<u>L5</u>
<u>L4</u>	(current collector) with (aluminum or Al)	4028	<u>L4</u>
<u>L3</u>	L2 and l1	2150	<u>L3</u>
<u>L2</u>	(lithium or Li) with (anode or negative electrode)	34034	<u>L2</u>
<u>L1</u>	(manganese dioxide or MnO ₂ or Mn O ₂) with (cathode or positive electrode)	5123	<u>L1</u>

END OF SEARCH HISTORY